

# ***Grand Cherokee Buyers Guide***

***January 2023***



**Jeep**



# Grand Cherokee

## NIGHT EAGLE

### Engine

3.6L V6 Petrol: 210 kW 344 Nm

### Transmission

8-Speed Automatic 4x4

### Maximum Towing Capacity <sup>(6)</sup>

2,813kg

### Fuel Consumption<sup>(1)</sup>

Combined (L/100km)

5 seat: 9.9

7 seat: 10.6

### Features:

- Jeep Quadra-Trac I Active 4x4 System
- 20-inch Alloy Wheels
- Uconnect 5 Navigation with 10.1-inch Touchscreen Display with Apple CarPlay <sup>(7)(9)</sup> and Android Auto <sup>(8)(9)</sup>
- Suede & TechnoLeather-Accented Bucket Seats
- Heated 8-way power seats and 4-way power lumbar for both driver and front passenger
- Heated steering wheel & first-row seating
- Jeep Connected Services
- Six Speaker Audio System
- Power liftgate with adjustable height settings
- Automatic LED headlamps
- 10.25" Multiview Display cluster
- ParkView Rear Back-up Camera with Front and Rear Park Assist with Stop
- Tyre Pressure Monitoring
- Passive Entry with Keyless Go
- Hill Start Assist
- Blind Spot Monitoring with Rear Cross-Path Detection
- Adaptive Cruise Control with Stop and Go
- Active Lane Management
- Pedestrian Automatic Emergency Braking (with cyclist detection)
- Drowsy Driver Detection
- Traffic Sign Recognition
- Intersection Collision Assist

## LIMITED

### Engine

3.6L V6 Petrol: 210 kW 344 Nm

### Transmission

8-Speed Automatic 4x4

### Maximum Towing Capacity <sup>(6)</sup>

2,813kg

### Fuel Consumption<sup>(1)</sup>

Combined (L/100km)

7 seat: 10.6

### Features (in addition to or replacing Night Eagle)

- Jeep Quadra-Trac I Active 4x4 System with Selec-Terrain
- TechnoLeather Seats
- Driver Seat Memory
- Heated first and second-row seating
- Ventilated front seating
- Second-row window shades
- Nine Speaker Premium Audio System with Active Noise Control
- Digital Rearview Mirror
- 360-Degree Surround View Camera
- Ambient LED Lighting
- Auto High Beam Headlamp Control



5 seat Night Eagle



7 seat Night Eagle



7 seat Limited

# Grand Cherokee

## OVERLAND

### Engine

3.6L V6 Petrol: 210 kW 344 Nm

### Transmission

8-Speed Automatic 4x4

### Maximum Towing Capacity <sup>(6)</sup>

2,813kg

### Fuel Consumption<sup>(1)</sup>

Combined (L/100km)

5 seat: 9.9

7 seat: 10.6

### Features (in addition to or replacing Limited)

- Jeep Quadra Trac II Active 4x4 system with Selec-Terrain and Quadra Lift Air Suspension & Adaptive Damping
- 12-way power with 4-way power lumbar adjustment for driver and front passenger seat with memory
- Nappa leather-trimmed seats
- Ventilated Second Row Outboard Seats
- Driver and front passenger seat massage function
- Window Shades, 2nd Row
- Digital Rearview Mirror
- Four-Zone Climate Control
- Wireless Charging Pad
- Enhanced multi-colour interior ambient lighting
- Hands-free Power Liftgate
- Proximity wake-up
- Dual-Pane Panoramic Sunroof
- Hill Descent Control
- Dual bright exhaust tips
- Bright sill plates

## SUMMIT RESERVE / SUMMIT RESERVE 4xe

### Engine

Grand Cherokee 2.0L 4xe PHEV: 280kW 637Nm (combined output)

Grand Cherokee L 3.6L V6 Petrol: 210 kW 344 Nm

### Transmission

8-Speed Automatic 4x4

### Maximum Towing Capacity <sup>(6)</sup>

Summit Reserve 4xe (5 seat): 2,722kg

Summit Reserve (7 seat): 2,813kg

### Fuel Consumption<sup>(1)</sup>

Combined (L/100km)

Summit Reserve 4xe (5 seat): 3.2

Summit Reserve (7 seat): 10.6

### Features (in addition to or replacing Overland)

- Quilted Palermo leather-trimmed seats
- Berber floor mats
- Deluxe headliner
- Black painted roof
- 21-inch Alloy Wheels
- Premium McIntosh High Performance Audio System with 19 speakers and 950-watt amplifier
- Unique wood appliqué in instrument panel, steering wheel and doors
- Illuminated sill plates
- ParkSense Parallel & Perpendicular Park Assist
- Active Driving Assist System



7 seat Overland



5 seat Summit Reserve 4xe



7 seat Summit Reserve

MODEL HIGHLIGHTS

# Grand Cherokee

# SPECIFICATIONS

		Grand Cherokee (5 seat)		
Capability & Performance	Code	Night Eagle	Overland	Summit Reserve 4xe
3.6L Pentastar V6 Petrol Engine with ESS	ERC	•	•	-
2.0 4xe Plug-In Hybrid Engine with ESS	ECX	-	-	•
8-Speed Automatic Transmission	DFT	•	•	•
Quadra-Trac I <sup>®</sup> 4x4 System	DHY	•	-	-
Quadra-Trac II <sup>®</sup> 4x4 System	DKA	-	•	•
Hill Descent Control	BNH	-	•	•
Selec-Terrain <sup>®</sup> Traction Management System	XAB	-	•	•
Quadra-Lift <sup>®</sup> Air Suspension	SER	-	•	•
Semi Active Damping	SMC	-	•	•
Heavy Duty Engine Cooling	NMC	•	•	•
Rear Load Leveling Suspension	SES	•	•	•
Trailer Hitch Zoom	XNQ	•	•	•
160 Amp Alternator	BAB	•	-	-
220 Amp Alternator	BAJ	-	-	-
240 Amp Alternator	BAL	-	•	-
650 Amp AGM Battery	BCZ	•	-	-
700 Amp Maintenance Free Battery	BCV	-	•	•
Battery Charge Indicator	XAT	-	-	•
Mode 2 PHEV Charge Cable	F1L	-	-	•
Conventional Differential Rear Axle	DS8	•	•	•
Conv Diff Frt Axle W/Disconnect	DSM	•	•	•
Electric Power Steering	SBL	•	•	•
Four Wheel Traction Control	BNR	•	•	•
Sport Mode	XG8	•	•	•
Map-In-Cluster Display	JBA	-	-	•
Stop-Start Dual Battery System	XHZ	•	•	-
Aux Battery	BC1	•	•	-
Selectable Tyre Fill Alert	LA5	•	•	•
Tyre Pressure Monitoring Display	XGM	•	•	•
Exterior	Code	Night Eagle	Overland	Summit Reserve 4xe
Dual Exhaust Tips	NEK	-	-	-
Dual Bright Exhaust Tips	NEL	-	•	•
Wheel Flares - Black	MMJ	•	-	-
Black Lower Rear Fascia	MLK	•	-	-
Black Lower Front Fascia	MLX	•	-	-
Wheel Flares - Painted	MM3	-	•	•
Painted Lower Front Fascia	ML6	-	•	•

Grand Cherokee (7 seat)			
Night Eagle	Limited	Overland	Summit Reserve
•	•	•	•
-	-	-	-
•	•	•	•
•	•	-	-
-	-	•	•
-	-	•	•
-	-	•	•
•	•	•	•
•	•	•	•
•	•	•	•
•	-	-	-
-	-	•	•
•	•	-	-
-	-	•	•
•	•	•	•
•	•	•	•
•	•	•	•
•	•	•	•
•	•	•	•
•	•	•	•
•	•	•	•
•	•	•	•
•	•	•	•
Night Eagle	Limited	Overland	Summit Reserve
•	•	-	-
-	-	•	•
•	•	-	-
•	•	-	-
•	•	-	-
-	-	•	•
-	-	•	•

Standard (•) Option (○) Not Offered (-)



# Grand Cherokee

# SPECIFICATIONS

		Grand Cherokee (5 seat)		
Exterior	Code	Night Eagle	Overland	Summit Reserve 4xe
Painted Lower Rear Fascia	MLN	-	•	•
Body Colour Door Handles	MNK	•	•	•
Exterior Accents - Gloss Black	MHP	•	-	-
Exterior Accents - Chrome	MHU	-	•	-
Exterior Accents - Platinum Chrome	MCG	-	-	•
Door Cladding - Black	MJW	•	-	-
Door Cladding - Painted	MJX	-	•	-
Door Cladding - Painted/Bright	MJY	-	-	•
Lower Rocker Panel Cladding - Black	MJ5	•	-	-
Lower Rocker Panel Cladding - Painted	MJ6	-	•	•
Shark Fin Antenna	RHC	•	•	•
Roof Rails - Black / Gloss Black	MWE	•	-	-
Roof Rails - Black / Bright	MWG	-	-	-
Roof Rails - Gloss Black / Bright	MWR	-	•	-
Roof Rails - Fine Silver / Gloss Black	MW1	-	-	•
Upper Active Grille Shutters	MDX	•	•	•
Grand Cherokee Badge	MVB	•	•	•
Jeep Badge	MVC	•	•	•
4X4 Badge	MWT	•	•	-
4xe Badge	MGU	-	-	•
Limited Badge	MVA	-	-	-
Overland Badge	MZM	-	•	-
Summit Reserve Badge	MZ5	-	-	•
Black Painted Roof	MXS	-	-	•
Roof - Body Colour	MXU	•	•	-
Power Sunroof	GWA	O	-	-
Dual-Pane Panoramic Sunroof	GWJ	-	•	•
Interior Rear Facing Camera	XPR	-	-	-
Interior	Code	Night Eagle	Overland	Summit Reserve 4xe
5 Passenger Seating	CYD	•	•	•
7 Passenger Seating	CYE	-	-	-
Suede & TechnoLeather-Accented Bucket Seats	*DZ	•	-	-
TechnoLeather Seats	*D6	-	-	-
Nappa Leather-Trimmed Seats	*TL	-	•	-
Palermo Leather-Trimmed Seats	*EC	-	-	•
Soft Touch Door Trim	CTL	•	-	-
TechnoLeather Door Trim	CBH	-	-	-

Grand Cherokee (7 seat)			
Night Eagle	Limited	Overland	Summit Reserve
-	-	•	•
•	•	•	•
•	-	-	-
-	•	•	-
-	-	-	•
•	•	-	-
-	-	•	-
•	•	-	-
-	-	•	•
•	•	•	•
•	-	-	-
-	•	-	-
-	-	•	-
-	-	-	•
•	•	•	•
•	•	•	•
•	•	•	•
-	-	-	-
-	•	-	-
-	-	•	-
-	-	-	•
•	•	•	-
O	-	-	-
-	O	•	•
-	O	•	•
Night Eagle	Limited	Overland	Summit Reserve
-	-	-	-
•	•	•	•
•	-	-	-
-	•	-	-
-	-	•	-
-	-	-	•
•	-	-	-
-	•	-	-
-	-	-	•
•	-	-	-
-	•	-	-

Standard (•) Option (○) Not Offered (-)

# Grand Cherokee

# SPECIFICATIONS

Interior	Code	Grand Cherokee (5 seat)		
		Night Eagle	Overland	Summit Reserve 4xe
Nappa Leather Door Trim	CBW	-	•	-
Palermo Leather Door Trim	CTX	-	-	•
Black Headliner	CHK	•	•	-
Deluxe Headliner	CHE	-	-	•
Front & Rear Floor Mats	CLE	•	•	-
Premium Berber Front & Rear Floor Mats	CCG	-	-	•
Floor Mat, 3rd Row	CWB	-	-	-
Reversible Carpet/Vinyl Cargo Mat	CKK	-	-	•
Sun Visors with Illuminated Vanity Mirrors	GNC	•	•	•
Interior Assist Handles	CSV	•	•	•
Illuminated Cupholders	CWP	•	•	•
Window Shades, 2nd Row, Manual	GF1	-	•	•
Cargo Tie Down Loops	CKT	•	•	•
Cargo Compartment Cover	CSC	•	•	•
2nd Row Centre Rear 3-Point Seat Belt	CG6	•	•	•
2nd Row Three Rear Seat Head Restraints	CSH	•	•	•
2nd Row Seat Centre Armrest/Cupholders	CSN	•	•	•
2nd Row 60/40 Manual Fold Seatbacks	CYP	•	•	•
2nd Row Power Fold Seatbacks	CFQ	-	-	-
2nd Row 60/40 Bench, Manual Tip/Slide	CF1	-	-	-
3rd Row 50/50 Manual Fold Seat	CFG	-	-	-
3rd Row 50/50 Power Fold Seat	CBB	-	-	-
3rd Row Remote Headrest Dumping	CEE	-	-	-
Steering Wheel Mounted Shift Control	XBQ	•	•	•
TechnoLeather Wrapped Steering Wheel	SCJ	•	•	-
Wood/Leather Wrapped Steering Wheel	SCM	-	-	•
Bright Sill Plates	CLT	-	•	-
Illuminated Sill Plates	LP1	-	-	•
Coat Hooks	XCT	•	•	•
Comfort & Convenience	Code	Night Eagle	Overland	Summit Reserve 4xe
Dual-Zone Climate Control	HAF	•	•	-
Three-Zone Climate Control	HAH	-	-	-
Four-Zone Climate Control	HAL	-	•	•
Driver Seat Memory	LEQ	-	•	•
Passenger Seat Memory	LE5	-	-	•
Driver Seat - Power Adjust 8-Way	JVG	•	•	-
Driver Seat - Power Adjust 12-Way	JVJ	-	•	•

Grand Cherokee (7 seat)			
Night Eagle	Limited	Overland	Summit Reserve
-	-	•	-
-	-	-	•
•	•	•	-
-	-	-	•
•	•	•	-
-	-	-	•
-	•	•	•
-	-	-	•
•	•	•	•
•	•	•	•
•	•	•	•
-	•	•	•
•	•	•	•
•	•	•	•
•	•	•	•
•	•	•	•
•	•	•	•
•	•	•	•
•	•	•	•
•	•	•	•
•	•	•	•
•	•	•	•
•	•	•	•
•	•	•	•
•	•	•	•
•	•	•	•
•	•	•	•
•	•	•	•
•	•	•	•
•	•	•	•
Night Eagle	Limited	Overland	Summit Reserve
-	-	-	-
•	•	•	-
-	-	•	•
-	•	•	•
-	-	•	•
•	•	•	-
-	-	•	•
•	•	•	•

Standard (•) Option (◦) Not Offered (-)

# Grand Cherokee

# SPECIFICATIONS

Comfort & Convenience	Code	Grand Cherokee (5 seat)		
		Night Eagle	Overland	Summit Reserve 4xe
Front Passenger Seat - Power Adjust 8-Way	JWG	•	•	-
Front Passenger Seat - Power Adjust 12-Way	JWJ	-	•	•
Heated Steering Wheel	NHS	•	•	•
Heated Front Seats	JPM	•	•	•
Heated Second Row Outboard Seats	JPZ	-	•	•
Ventilated Front Seats	CAJ	-	•	•
Ventilated Second Row Outboard Seats	CAH	-	•	•
Power Liftgate	JRC	•	-	-
Hands Free Power Liftgate	JK2	-	•	•
Electric Park Brake	XC4	•	•	•
Speed Sensitive Power Locks	JPH	•	•	•
Pushbutton Start	GX4	•	•	•
Rear View Auto Dim Mirror	GNK	•	•	•
Rain Sensitive Windshield Wipers	JHC	•	•	•
4 Way Front Headrests	CDP	•	•	•
Power Seat Back Massage - Driver	CE9	-	•	•
Power Seat Back Massage - Front Passenger	CE5	-	•	•
Passive Entry-Front Doors, Liftgate	GXD	•	-	-
Passive Entry-Front & Rear Doors, Liftgate	GX5	-	•	•
Power Front Windows, 1-Touch, Up & Down	JP3	•	-	-
Power Windows, Front & Rear 1-Touch Up/Down	JSB	-	•	•
Power Windows Global Up & Down with Keyfob	JSE	-	•	•
Tilt/Telescope Steering Column	SUD	•	-	-
Power Tilt/Telescope Steering Column	SUB	-	•	•
Memory Steering Column	LEW	-	•	•
Digital Rearview Mirror	GRG	-	•	•
Power Mirrors-Base	GUB	•	-	-
Ext. Mirrors W/Supplemental Signals	LEB	•	•	•
Heated Exterior Mirrors	LE1	•	•	•
Gloss Black Exterior Mirrors	LE7	•	•	•
Auto Power-Folding Mirrors	LFF	•	•	•
Power Mirrors-High	GUE	-	•	•
Auto Dim Exterior Driver Mirror	GNZ	-	•	•
Exterior Mirrors W/Memory	LEM	-	•	•
Auto Dim Exterior Passenger Mirror	LEU	-	•	•
Auto Adjust In Reverse Ext Mirrors	LEX	-	•	•
Exterior Mirrors Approach Lamps	LE9	-	•	•
Acoustic Laminated Rear Door Glass	GAH	•	•	•

Grand Cherokee (7 seat)			
Night Eagle	Limited	Overland	Summit Reserve
•	•	•	-
-	-	•	•
•	•	•	•
•	•	•	•
-	•	•	•
-	•	•	•
-	-	•	•
•	•	-	-
-	-	•	•
•	•	•	•
•	•	•	•
•	•	•	•
•	•	•	•
•	•	•	•
•	•	•	•
-	-	•	•
-	-	•	•
•	-	-	-
-	•	•	•
•	•	-	-
-	-	•	•
-	-	•	•
•	•	•	•
•	•	•	•
•	•	•	•
•	•	•	•
-	•	•	•
-	•	•	•
-	•	•	•
-	•	•	•
•	•	•	•

Standard (•) Option (◦) Not Offered (-)









# Grand Cherokee

# SPECIFICATIONS

Safety, Security & Driver Assistance	Code	Grand Cherokee (5 seat)		
		Night Eagle	Overland	Summit Reserve 4xe
Surround View Camera System	XAK	-	•	•
Rear Back Up Camera Washer	JHE	-	•	•
Integrated Off-Road Camera	XNY	-	•	•
Blind Spot And Cross Path Detection	XAN	•	•	•
Parksense Front & Rear Park Assist with Stop	XH4	•	•	•
Parallel & Perpendicular Park & Unpark Assist with Stop	XPL	-	-	•
Side Distance Warning	XAJ	-	-	•
Child Seat Upper Tether Anchorages	CF4	•	•	•
Child Seat Anchor System-Latch Ready (ISOFIX)	CGU	•	•	•
Advanced Multistage Front Air Bags	CG3	•	•	•
Driver Inflatable Knee-Bolster Air Bag	CGY	•	•	•
Passenger Inflatable Knee-Bolster Air Bag	CHF	•	•	•
Supplemental Frt Seat Side Air Bags	CJ1	•	•	•
Supplemental Side Curtain Front & Rear Air Bags	CJ2	•	•	•
Occupant Detection Sensor - 2nd Row	XCC	•	•	•
Occupant Detection Sensor - 3rd Row	XCE	-	-	-
Rear Seat Reminder Alert	JFB	•	•	•
Driver Seat Belt Alert	LAF	•	•	•
Rear Passenger Seat Belt Alert	LAU	•	•	•
Front Passenger Seat Belt Alert	LAX	•	•	•
Quick Disconnect Battery Terminal	XAV	•	•	•
Capless Fuel Filler	XJM	•	•	•
Locking Push-Push Fuel Filler Door	XJ6	•	•	•

Grand Cherokee (7 seat)			
Night Eagle	Limited	Overland	Summit Reserve
-	•	•	•
-	•	•	•
-	•	•	•
•	•	•	•
•	•	•	•
-	-	-	•
-	-	-	•
•	•	•	•
•	•	•	•
•	•	•	•
•	•	•	•
•	•	•	•
•	•	•	•
•	•	•	•
•	•	•	•
•	•	•	•
•	•	•	•
•	•	•	•
•	•	•	•
•	•	•	•
•	•	•	•
•	•	•	•

Standard (•) Option (◦) Not Offered (-)



# Grand Cherokee

# WHEELS

Wheels	Code	Night Eagle	Limited	Overland	Summit Reserve	Summit Reserve 4xe
20-inch Gloss Black Painted Alloy Wheels	WHF	•	-	-	-	-
20-inch Machined / Painted Alloy Wheels	WHG	-	•	-	-	-
20-inch Full Polished Alloy Wheels	WLJ	-	-	•	-	-
18-inch Full Polished / Painted Alloy Wheels	WLH	-	-	O	-	-
21-inch Polished / Painted Alloy Wheels	WJE	-	-	-	•	-
21-inch Machined / Painted Alloy Wheels	WJA	-	-	-	-	•

Standard (•) Option (o) Not Offered (-)



WHF - 20-inch Gloss Black Painted Alloy Wheels  
(Standard on Night Eagle)



WHG - 20-inch Machined / Painted Alloy Wheels  
(Standard on Limited)



WLJ - 20-inch Full Polished Alloy Wheels  
(Standard on Overland)



WLH - 18-inch Full Polished / Painted Alloy Wheels  
(With Off-Road Group (AM2) on Overland)



WJE - 21-inch Polished / Painted Alloy Wheels  
(Standard on Summit Reserve)



WJA - 21-inch Polished / Painted Alloy Wheels  
(Standard on Summit Reserve 4xe)

# Grand Cherokee

Options	Code	Night Eagle	Limited	Overland	Summit Reserve	Summit Reserve 4xe
<b>Power Sunroof</b>	<b>GWA</b>	O	-	-	-	-
<b>Vision Group</b>	<b>ADG + GWJ</b>	-	O	-	-	-
Dual Pane Sunroof	GWJ					
Interior Rear Facing Camera (not available on Grand Cherokee 5 Seat)	XPR					
Head Up Display	LBK					
<b>Off-Road Group</b>	<b>AM2</b>	-	-	O	-	-
230mm Rear Axle	DR1					
Electronic Limited Slip Differential	DSF					
Trail Rated Badge	MT2					
265/60R18 All Terrain Tyres	TKH					
Goodyear Brand Tyres	TZA					
18-Inch Polished/Painted Alloy Wheels	WLH					
Fuel Tank Skid Plate Shield	XEE					
Transfer Case Skid Plate Shield	XEF					
Front Suspension Skid Plate	XEU					
<b>Advanced Technology Group</b>	<b>AAN</b>	-	-	-	O	O
Head-Up Display	LBK					
Wireless Charging Pad	RFX					
Night Vision Ped/Animal Detection	XNT					
Front Passenger Interactive Display	RJA					

Option (O) Not Offered (-)

OPTIONS



# Grand Cherokee

# EXTERIORS



PW7 - Bright White  
(Standard)



PRV - Velvet Red  
(Option)



PSE - Silver Zynith  
(Option)



PAS - Baltic Grey  
(Option)



PXJ - Diamond Black  
(Option)



PFJ - Rocky Mountain  
(Option)



PCQ - Midnight Sky  
(Option)



PBJ - Hydro Blue  
(Option on 5 seat only  
Customer order only)



PHC - Ember  
(Option - 7 seat only)

# Grand Cherokee

# COLOUR & TRIM MATRIX

Trim	Night Eagle	Limited	Overland	Summit Reserve		Summit Reserve 4xe	
Option Code	DZX7	D6X7	TLX7	ECX7	ECT7	ECX7	ECT7
Seats	Suede & TechnoLeather-accented	TechnoLeather	Nappa Leather-trimmed	Palermo Leather-trimmed			
	Black			Black	Tupelo	Black	Tupelo
Steering Wheel	TechnoLeather			Leather			
Headliner	Black						

Exterior Colour	Night Eagle	Limited	Overland	Summit Reserve		Summit Reserve 4xe	
Bright White (PW7)	•	•	•	•	•	•	•
Velvet Red (PRV)	•	•	•	•	•	•	•
Silver Zynith (PSE)	•	•	•	•	•	•	•
Baltic Grey (PAS)	•	•	•	•	•	•	•
Diamond Black (PXJ)	•	•	•	•	•	•	•
Rocky Mountain (PFJ)	-	•	•	•	•	•	•
Midnight Sky (PCQ)	-	•	•	•	•	•	•
Hydro Blue (PBJ) 5 seat only	-	•	•	-	-	•	•
Ember (PHC) 7 seat only	-	•	-	-	-	-	-


Standard (•) Not Offered (-)



DZX7 - Black Suede & TechnoLeather -  
accented trim  
(Standard - Night Eagle)



D6X7 - TechnoLeather trim  
(Standard - Limited)



TLX7 - Black Nappa Leather-trim  
(Standard - Overland)



ECX7 - Black Palermo Leather-trim  
(Standard - Summit Reserve)



ECT7 - Tupelo Palermo Leather-trim  
(Option - Summit Reserve  
Customer order only)



# Grand Cherokee

	Grand Cherokee (5 seat)	Grand Cherokee (7 seat)
	3.6L 4x4	
<b>Body &amp; Chassis</b>		
Layout	Front Engine 4x4	
Construction	Steel Unibody	
Assembly Plant	Detroit Assembly Complex – Mack Plant, Detroit, Michigan	
Doors	4	
Seats	5 / 7	
<b>Powertrain</b>		
Description	3.6 Pentastar V6 Engine	
Capacity	3604	
Cylinders	6	
Configuration	V	
Aspiration (Natural / Forced)	Naturally Aspirated	
Max power (kW @ rpm)	210 @ 6400	
Max torque (Nm @ rpm)	344 @ 4000	
Valves	24	
Compression	11.3:1	
Bore & Stroke (mm)	96 x 83	
Engine Stop/Start	Standard	
<b>Fuel</b>		
System	Sequential Multi Port, Electronic Fuel Injection	
Type	Unleaded Petrol	
Tank capacity (L)	87	
Economy (Urban, L/100km) <sup>(1)</sup>	13.3	13.9
Economy (Highway, L/100km) <sup>(1)</sup>	8	8.7
Economy (Combined, L/100km) <sup>(1)</sup>	9.9	10.6

	Grand Cherokee (5 seat)	Grand Cherokee (7 seat)
	3.6L 4x4	
<b>Emissions</b>		
Emission Standard Met	EURO 6	
Emissions (Combined, CO2 g/100km)	236	243
<b>Transmission</b>		
Type	8-Speed Automatic Transmission with Steering Wheel Mounted Paddle Shifters	
Ratio - 1st	4.71	
Ratio - 2nd	3.14	
Ratio - 3rd	2.11	
Ratio - 4th	1.67	
Ratio - 5th	1.29	
Ratio - 6th	1	
Ratio - 7th	0.84	
Ratio - 8th	0.67	
Reverse	3.3	
<b>Brakes</b>		
Front - Type	Ventilated Disk, Two-Piston Floating Caliper with ABS	
Front - Size (mm)	354 x 28	
Rear - Type	Ventilated Disc, Floating Single Piston Caliper with ABS	
Rear - Size (mm)	350 x 22	
<b>Steering</b>		
Type	Electric rack-and-pinion steering	
Turning Circle - Kerb to Kerb (m)	11.58	
Column Adjustment	Tilt & Telescopic	
<b>Service &amp; Warranty</b>		
Service Intervals	12,000km / 12 months	
Warranty	3 year / 100,000km	
Roadside Assist	3 year / 100,000km	

TECHNICAL INFORMATION

# Grand Cherokee

Grand Cherokee (5 seat)	
2.0L 4xe	
<b>Body &amp; Chassis</b>	
Layout	Front Engine 4x4
Construction	Steel Unibody
Assembly Plant	Detroit Assembly Complex – Mack Plant, Detroit, Michigan
Doors	4
Seats	5
<b>Powertrain</b>	
Description	2.0 4xe Plug-In Hybrid Engine
Capacity	1,995
Cylinders	4
Configuration	In Line
Aspiration (Natural / Forced)	Turbocharged
Max power (kW @ rpm)	200 @ 5250
Max torque (Nm @ rpm)	400 @ 3000
Combined Max power (kW @ rpm)	280 @ 5250
Combined Max torque (Nm @ rpm)	637 @ 3000
Valves	16
Compression	10:1
Bore & Stroke (mm)	84 x 90
Engine Stop/Start	-
<b>Fuel</b>	
System	Direct Injection
Type	Unleaded Petrol Plug-In Hybrid
Tank capacity (L)	72
Electric Range (km)	52
Battery Gross Capacity (kWh)	17.3
Maximum Charge Rate (kW)	7.2
Charging Modes	Mode 2 charge (3kW) Mode 3 charge (7.4kW)
Economy (Urban, L/100km) <sup>(1)</sup>	-
Economy (Highway, L/100km) <sup>(1)</sup>	-
Economy (Combined, L/100km) <sup>(1)</sup>	3.2

Grand Cherokee (5 seat)	
2.0L 4xe	
<b>Emissions</b>	
Emission Standard Met	EURO 5
Emissions (Combined, CO2 g/100km)	74
<b>Transmission</b>	
Type	8-Speed Automatic Transmission with Steering Wheel Mounted Paddle Shifters
Ratio - 1st	4.71
Ratio - 2nd	3.14
Ratio - 3rd	2.11
Ratio - 4th	1.67
Ratio - 5th	1.29
Ratio - 6th	1.00
Ratio - 7th	0.84
Ratio - 8th	0.67
Reverse	3.30
<b>Brakes</b>	
Front - Type	Ventilated Disk, Two-Piston Floating Caliper with ABS
Front - Size (mm)	354 x 28
Rear - Type	Ventilated Disc, Floating Single Piston Caliper with ABS
Rear - Size (mm)	350 x 22
<b>Steering</b>	
Type	Electric rack-and-pinion steering
Turning Circle - Kerb to Kerb (m)	12.1
Column Adjustment	Tilt & Telescopic
<b>Service &amp; Warranty</b>	
Service Intervals	12,000km / 12 months
Warranty	3 year / 100,000km
Roadside Assist	3 year / 100,000km

TECHNICAL INFORMATION



# Grand Cherokee

## Grand Cherokee (5 seat)

Night Eagle

Overland

Summit Reserve 4xe

### Dimensions

Length (mm)	4,914		4,912
Width (mm)	2,149		1,979
Height (mm)	1,799	1,801	1,812
Wheelbase (mm)	2,964		
Front Track (mm)	1,660		
Rear Track (mm)	1,660		

### Wheel & Tyre

Wheel Type	Alloy Wheels		
Wheel Size (inches)	20 x 8.5		21 x 9.0
Tyre Size	265 / 50		275 / 45
Spare Wheel	265 / 60 R18 Full Size Steel Spare Wheel		

### Weights

Tare Weight (kg)	2,167		2,578
Maximum Braked Towing Capacity (kg) <sup>(6)</sup>	2,813		2,722
Maximum Unbraked Towing Capacity (kg) <sup>(6)</sup>	750		
Maximum Tongue Download (kg) <sup>(3)</sup>	281		272
Gross Vehicle Mass (kg)	2,744		3,110
Gross Combined Mass (kg) Incl. Braked Towing	5,557		5,442
Roof Rack Load Limit (kg)	68		

### Suspension

Type	Coil	Air	
Front	Multi-link independent front suspension, gas-charged, twin-tube coilover shock absorbers, all aluminium arms and knuckles		
Rear	Multi-link rear suspension, twin tube shocks (including load leveling for towing), all aluminium arms and knuckles (including extruded aluminium spring links)		

### 4x4 Specifics

4x4 System	Jeep Quadra-Trac I	Jeep Quadra-Trac II	
Operating Mode	Full-time Active 4WD	4x4 Low (Lock), Neutral; Full-time Active 4x4	
Transfer Case	Single-speed electronically shifted	Two-speed electronically shifted	
Running Clearance (mm)	214	193	
Maximum Ground Clearance (mm)		276 <sup>(2)</sup>	
Approach Angle (Degrees)	20.5	30.1 <sup>(2)</sup>	28.2 <sup>(2)</sup>
Breakover Angle (Degrees)	19.1	24.0 <sup>(2)</sup>	20.9 <sup>(2)</sup>
Departure Angle (Degrees)	26.6	28.4 <sup>(2)</sup>	
Wading Depth (mm) <sup>(10)</sup>	530	610 <sup>(2)</sup>	

TECHNICAL INFORMATION

# Grand Cherokee

## Grand Cherokee (7 seat)

Night Eagle

Limited

Overland

Summit Reserve

### Dimensions

Length (mm)	5,204		
Width (mm)	2,149		
Height (mm)	1,815		1,817
Wheelbase (mm)	3,091		
Front Track (mm)	1,660		
Rear Track (mm)	1,660		

### Wheel & Tyre

Wheel Type	Alloy Wheels		
Wheel Size (inches)	20 x 8.5		21 x 9.0
Tyre Size	265 / 50		275 / 45
Spare Wheel	265 / 60 R18 Full Size Steel Spare Wheel		

### Weights

Tare Weight (kg)	2,190		2,270
Maximum Braked Towing Capacity (kg) <sup>(9)</sup>	2,813		
Maximum Unbraked Towing Capacity (kg) <sup>(9)</sup>	750		
Maximum Tongue Download (kg) <sup>(9)</sup>	281		
Gross Vehicle Mass (kg)	2,948		3,039
Gross Combined Mass (kg) Incl. Braked Towing	5,761		5,307
Roof Rack Load Limit (kg)	68		

### Suspension

Type	Coil		Air
Front	Multi-link independent front suspension, gas-charged, twin-tube coilover shock absorbers, all aluminium arms and knuckles		
Rear	Multi-link rear suspension, twin tube shocks (including load leveling for towing), all aluminium arms and knuckles (including extruded aluminium spring links)		

### 4x4 Specifics

4x4 System	Jeep Quadra-Trac I	Jeep Quadra-Trac II	
Operating Mode	Full-time Active 4WD	4x4 Low (Lock), Neutral; Full-time Active 4x4	
Transfer Case	Single-speed electronically shifted	Two-speed electronically shifted	
Running Clearance (mm)	215	194	
Maximum Ground Clearance (mm)		276 <sup>(2)</sup>	
Approach Angle (Degrees)	20.6	30.1 <sup>(2)</sup>	28.2 <sup>(2)</sup>
Breakover Angle (Degrees)	18.2	22.6 <sup>(2)</sup>	
Departure Angle (Degrees)	21.5	23.6 <sup>(2)</sup>	
Wading Depth (mm) <sup>(10)</sup>	530	610 <sup>(2)</sup>	

TECHNICAL INFORMATION

# Jeep<sup>®</sup>

(\*) Overseas models may be shown in imagery, New Zealand model and actual colours may vary. All product illustrations and specifications are based upon current information. Jeep New Zealand reserves the right to make changes from time to time, without notice or obligation, in prices, specifications, technical information, accessories, colours, materials and to change or discontinue models. All vehicles, models, features, colours and/or accessories shown may not be available in New Zealand from time to time or at all. "Optional" may mean available as an option but only at an additional cost. For the details of the vehicles, models, features, colours and/or accessories currently available in New Zealand, please contact an authorised Jeep Dealer.